


The Multi Purpose Bulk Container



Strong. Long Lasting. Reliable.



Space saving of
up to 63%



Unique
removable walls



Four way
forklift entry



Hygienic design

KitBin® The Multi Purpose Bulk Container

Features



The bin that grows with your needs from single to double height



Quick and easy assembly



Hygienic smooth surfaces



Available with solid or perforated walls



One modular product for many kinds of solutions

The Kitbin is a uniquely designed system offering considerable flexibility. The system is comprised of a pallet base and four independent sides, fitted together to create a strong and durable container whilst offering space savings when not in use.

The unique interlock mechanism is the key to the KitBin's flexibility. It allows each side panel to be locked into position around the pallet base giving added strength. This enables sidewalls to be built up to three high giving one container a range of heights from 715mm to 1845mm.

Unique design patented lock

1



2



3



The patented design allows any of the walls to be completely detached from the pallet base so that the container can be filled from the front by leaving one wall detached.

Easy and Simple Assembly

1



Insert side
wall panels
into pallet
base

2



Align sidewalls so
that interlocking
mechanism can
be engaged

3



Repeat steps
1 and 2 for
other walls

Walk-in system

Any wall can be easily removed and the system becomes a Walk-in system



Easy access




Ergonomically Correct



Space saving

Four disassembled containers fit into one KitBin® with the pallet bases nested on top. Five Kitbins can therefore fit into the same footprint as one. It means savings of up to 63% storage area space



Logo options

The company name, logo and sequential numbers can be hot stamped onto the Dolav for easy identification.




1234



KitBin® The Multi Purpose Bulk Container

Technical Data



Compatible with
1000-ACE lids



	KitBin Single	KitBin Double
External dimensions (LxWxH) mm	1200x1000x715	1200x1000x1280
Internal dimensions (LxWxH) mm	1120x920x565	1120x920x1130
Volume (litre)	617	1234
Tare weight (kg)	39	59
Max load (kg)	600	600
Max stack load (kg)	3000	1800
Raw material	HDPE Structural Foam	
Temperature range	-40°C up to +60°C	
Type	Perforated or Solid	

*Due to deviations in the manufacturing process, tare weight may vary by $\pm 1.5\%$.

*Dimensions may vary by $\pm 1\%$.

Land and Sea Transport

Road transportation

Dimensions[m] [Inside]	Size m (LxWxH)	Single Height		Double Height	
		Folded	Erected	Folded	Erected
Truck	9.45 x 2.5 x 2.8	180	54	90	36
Semi Trailer	13.4 x 2.5 x 2.8	260	78	130	52
Full Trailer	A+B	300	220	150	150
Porter only (A)	7.30 x 2.5 x 2.9	140	56	70	28
Trailer only (B)	8.20 x 2.5 x 3	160	64	80	32

Sea transportation

	20'	40'
Single Height Kitbin	80	215
Double Height Kitbin	45	149



DOLAV®

Tried. Trusted. Best.



Dolav Plastic Products, Kibbutz Dvir M.P. HaNegev 8533000

☎ 972-72-2450700 📠 972-8-9918710 ✉ dolav@dolav.com 🌐 www.dolav.com

Worldwide offices: Belgium, China, France, Germany, Hong Kong, Ireland, Israel, Italy, Russia, Spain, The Netherlands, UK, USA

